



www.trovek.com/product/trovek-gallery

Wash Wall Systems

Pre-plumbed modular Soap, Wash & Dry systems

Smartwash

- 92 **Introduction to Smartwash**
- 94 **Smartwash experience**
- 95 **Smartwash features**
- 96 **Smartwash options**
- 97 **Smartwash specification**

Introduction to **Smartwash**

Introducing Smartwash, the modular, all-in-one, soap, wash and dry unit. Stylish, touch free and easy to install and use, it provides a superior hand washing experience.

The Smartwash unit uses the best technology including sensor operated and low energy equipment. An essential inclusion for your next washroom.

Call 01707 254 170 to speak to a member of the technical team.



Smartwash experience & features




Sensor Soap, Wash and Dry

For a more hygienic user experience, the Smartwash is touch-free, with sensor operated components.


Configurable to your style

To ensure the best fit for the washroom, the unit has many options: soap, wash and dryer, or soap, wash and hand towel. Infill panels are bespoke made to suit your washroom and can be customised with back-lighting.



Space efficient

Keeping the user in one place eliminates water drips across the washroom floor and improves safety. No extra wall space is required for a separate drying or towel unit.



Reduced costs

The five litre bottle of Trovex soap gives up to 10,000 uses, giving cost saving of over 60% compared to traditional cartridge dispensers. Environmental impact from plastic waste is reduced through the recycling and refilling of containers.



Durable materials

Water & mould resistant, the Smartwash carcass is fabricated from Trovex Hygiboard material. The mirrors are shatterproof and has a scratch-resistant coating - ideal for high-traffic areas or places at risk of vandalism.



Offsite fabrication


Designed and pre-fabricated off site as a fully complete unit, Smartwash is supplied pre-plumbed and equipped with all the necessary parts for quick and easy installation.




Lock options

High security locks ensure no unauthorized access. Hidden magnetic locks are also available for a more aesthetically pleasing finish.

Infill Options



Configuration Options



Smartwash specification

Manufacturer	Trovex, Axiom House, Travellers Close, Welham Green, AL9 7JL Tel: 01707 254 170, Email: sales@trovex.com
Product ref	Trovex Smartwash.
Power Supply	1no. 1 Gang 230v Single Socket. 1no. 13A Fused Connection Unit. 1no. 1 Gang 230v Single Socket per Infill Light.
Water Supply	Integrated Thermostatic Mixing Valve. Hot and Cold Feed 70degC Max Temperature. 0.5 - 8 bar Operating Pressure.
Standard Unit Size	550W x 194D x 800H
Fixing Method	To be installed to a duct system or directly to wall. For ease of installation, use the Trovex Smartrail Fixing Kit with integrated plumbing and electrical connection.
Features	Shatterproof scratch resistant mirror gives a functional & very durable finish. Programming remote control available. The carcass is made from PVC board which is highly resistant to moisture and corrosion. Customised infill panels are available for spacing between Smartwash units.
The above specifications represent typical installations. For any other details or specifications, call our technical team on 01707 254 170	